	Туре	Hits 723	Search Text	DBs		
1	BRS		(scanner (image adj read\$3) fax facsimile copier) and (preset (pre adj3 set\$3) factory manufacturer) with (calibrat\$3 compensat\$3) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		
2	BRS	30	(scanner (image adj read\$3) fax facsimile copier) with (preset (pre adj3 set\$3) factory manufacturer) near5 (calibrat\$3 compensat\$3) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		
3	BRS	21	(scanner (image adj read\$3) fax facsimile copier) same (preset (pre adj3 set\$3) factory manufacturer) with ((calibrat\$3 compensat\$3) with image) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		
4	BRS	30	(scanner (image adj read\$3) fax facsimile copier) with (preset (pre adj3 set\$3) factory manufacturer) near5 (calibrat\$3 compensat\$3) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		
5	BRS	14	S3 not S4	US-PGPUB; USPAT; EPO; JPO		
6	BRS	1313	(scanner (image adj read\$3) fax facsimile copier) and (factory manufactur\$3) with (calibrat\$3 compensat\$3) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		
7	BRS	723	(scanner (image adj read\$3) fax facsimile copier) and (factory manufactur\$3) with (calibrat\$3) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		
8	BRS	5	(adf (automatic adj document adj feeder)) and (scan\$4 (image adj read\$3) fax facsimile copier) and (factory manufactur\$3) with (calibrat\$3) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		
9	BRS	130	- Manuaccurati with cealibratasi with	US-PGPUB; USPAT; EPO; JPO		
10	BRS	104	(scanner (image adj read\$3) fax facsimile copier) and (factory manufactur\$3) near5 (calibrat\$3) with (memory stor\$3 buffer) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		
11	BRS	0	(scanner (reading adj device)) and (((pre adj2 scan\$4) prescanning) near5 (memory stor\$3 buffer RAM)) with (calibrat\$3 adj parameter) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		

12	BRS	65	manufacturS3) near5 (calibratS3)	US-PGPUB; EPO; JPO	USPAT;
----	-----	----	----------------------------------	-----------------------	--------

	Туре	Hits	Search Text	DBs		
13	BRS	(scanner (image adj read\$3) fax facsimile) and (factory manufactur\$3 near5 (calibrat\$3) with (memory stor\$3 buffer) and @ad<"20010411"		US-PGPUB; USPAT; EPO; JPO		
14	BRS	39	S12 not S11	US-PGPUB; USPAT; EPO; JPO		
15	BRS	20654	(scanner (reading adj device) and ((pre adj2 scan\$4) prescanning ((rough initial preliminary) adj scan\$4))) with (memory stor\$3 buffer RAM) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		
16	BRS	417	(scanner (reading adj device) and ((pre adj2 scan\$4) prescanning ((rough initial preliminary) adj scan\$4))) near5 (memory stor\$3 buffer RAM) with (calibrat\$3 correct\$3) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		
17	BRS	o	(scanner (reading adj device)) and (((pre adj2 scan\$4) prescanning) with (memory stor\$3 buffer RAM)) with (calibrat\$3 adj (parameter data)) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		
18	BRS	9	("5285293" "5309205" "5583645" "5604601" "5608538").PN. OR ("6172772").URPN.	US-PGPUB; USPAT; USOCR		
19	BRS	14	(scanner (image adj read\$3) fax facsimile copier) and (factory manufactur\$3) with (calibrat\$3 adj (parameter factor ratio)) with (memory stor\$3 buffer) and @ad<"20010411"	US-PGPUB; USPAT; EPO; JPO		
20	BRS	8	((preset (pre adj2 (set determined calculated identified))) near7 calibration) with (memory stor\$3 buffer RAM ROM) with image	US-PGPUB; USPAT; EPO; JPO		
21	BRS	1	"6172772".pn.	US-PGPUB; USPAT; EPO; JPO		
22	BRS	1	"5278674".pn.	US-PGPUB; USPAT; EPO; JPO		
23	BRS	1	"5939697".pn.	US-PGPUB; USPAT; EPO; JPO		
24	BRS	0	((determin\$4 judg\$3 check\$3 realiz\$3) near5 calibration near3 parameter) with (memory stor\$3 buffer ram) and @ad<"20010411" and "358"/\$.ccls.	US-PGPUB; USPAT; USOCR		
25	BRS	12	((determin\$4 judg\$3 check\$3 realiz\$3) near5 calibration near3 parameter) with (memory stor\$3 buffer ram) and @ad<"20010411" and (scanner (image adj read\$3))	US-PGPUB; USPAT; USOCR		

26	BRS	14	("5335290"	"5594556"	"5778103"	US-PGPUB;	USPAT;
20			"5854853").PN	. OR ("6624	912").URPN.	USOCR	i

	Туре	Hits	Search Text	DBs	
27	BRS	12	l ' '	US-PGPUB; USOCR	USPAT;
28	BRS	98		US-PGPUB; USOCR	USPAT;
29	BRS	80	scanner and (add\$3 with (calibration correction) near3 table) and @ad<"20010411"	US-PGPUB; USOCR	USPAT;
30	BRS	22	scanner and (check\$3 with (calibration correction) near3 table) and @ad<"20010411"	US-PGPUB; USOCR	USPAT;
31	BRS	6	l = .	US-PGPUB; USOCR	USPAT;
32	BRS	0		US-PGPUB; USOCR	USPAT;